

IN THE CLAIMS:

1 1. (Original) A system adapted to distribute route selection in an implementation of a
2 routing protocol executing on a router of a computer network, the system comprising:
3 a first process of the routing protocol configured to receive announced paths from
4 peers of the router and perform a first stage of route selection to select partial best paths;
5 a second process of the routing protocol configured to perform a second stage of
6 route selection to select best paths in response to the partial best paths forwarded by the
7 first process, the second process further configured to send the selected best paths to the
8 first process for announcement to the peers.

1 2. (Original) A method for distributing route selection in an implementation of a routing
2 protocol executing on a router of a computer network, the method comprising the steps
3 of:
4 receiving announced paths from peers of the router at a plurality of first processes
5 of the routing protocol;
6 performing a first stage of route selection at the first processes to select partial
7 best paths;
8 forwarding the partial best paths to a second process of the routing protocol;
9 performing a second stage of route selection at the second process to select best
10 paths; and
11 sending the selected best paths to the first processes for announcement to the
12 peers.

1 3. (Original) The method of Claim 2 wherein the routing protocol is a Border Gateway
2 Protocol (BGP) and wherein route selection includes a BGP best path selection algo-
3 rithm.

- 1 4. (Original) The method of Claim 3 wherein the first processes are speakers and
2 wherein the second process is a BGP routing information base (bRIB).
- 1 5. (Original) The method of Claim 4 further comprising the steps of:
2 providing a plurality of first processors configured to run the speakers; and
3 providing a second processor configured to run the bRIB.
- 1 6. (Original) The method of Claim 4 wherein the step of performing the first stage of
2 route selection comprises the step of splitting the announced paths for each prefix into a
3 plurality of groups such that within each group, the BGP best path selection algorithm is
4 a transitive relation.
- 1 7. (Original) The method of Claim 6 wherein the step of splitting comprises the step of
2 grouping the paths according to an autonomous system (AS) from which they were re-
3 ceived.
- 1 8. (Original) The method of Claim 7 wherein the step of performing the first stage of
2 route selection further comprises the step of calculating a best path in each group using
3 the BGP best path selection algorithm.
- 1 9. (Original) The method of Claim 8 wherein the step of performing the first stage of
2 route selection further comprises the step of performing a comparison between each best
3 path from each group.
- 1 10. (Original) The method of Claim 9 wherein the step of performing a comparison fur-
2 ther comprises the steps of:
3 selecting a path with a highest degree of preference;

- 4 selecting a locally originated path over a learned path;
- 5 selecting a path with shortest AS_path; and
- 6 selecting a path with lowest origin.

1 11. (Original) The method of Claim 10 wherein the step of performing the first stage of
2 route selection further comprises the step of forming a set of partial best paths forwarded
3 to the bRIB from any paths that have not been discarded by running the algorithm at each
4 speaker.

1 12. (Original) The method of Claim 11 wherein the step of performing the second stage
2 of route selection comprises the step of using the full BGP best path selection algorithm
3 to select a best path per prefix from among the partial best paths received from all speak-
4 ers.

1 13. (Original) A system adapted to distribute route selection in an implementation of a
2 routing protocol executing on a router of a computer network, the system comprising:
3 a plurality of first processes of the routing protocol configured to receive an-
4 nounced paths from peers of the router and perform a first stage of route selection to se-
5 lect partial best paths;
6 a second process of the routing protocol configured to perform a second stage of
7 route selection to select best paths in response to the partial best paths forwarded by the
8 first processes, the second process further configured to send the selected best paths to
9 the first processes for announcement to the peers.

1 14. (Original) The system of Claim 13 wherein the routing protocol is a distance vector
2 routing protocol.

1 15. (Original) The system of Claim 13 wherein the routing protocol is a Border Gateway
2 Protocol (BGP) and wherein route selection includes a BGP best path selection algo-
3 rithm.

1 16. (Original) The system of Claim 15 wherein the first processes are speakers and
2 wherein the second process is a BGP routing information base (bRIB).

1 17. (Original) The system of Claim 16 further comprising:
2 a plurality of first processors configured to run the speakers; and
3 a second processor configured to run the bRIB.

1 18. (Original) The system of Claim 17 wherein each speaker splits the announced paths
2 for each prefix into a plurality of groups such that within each group, the BGP best path
3 selection algorithm is a transitive relation.

1 19. (Original) The system of Claim 18 wherein the groups are organized according to an
2 autonomous system (AS) from which they were received.

1 20. (Original) The system of Claim 19 wherein each speaker further calculates a best
2 path in each group using the BGP best path selection algorithm.

1 21. (Original) The system of Claim 20 wherein each speaker further performs a compari-
2 son between each best path from each group.

1 22. (Original) The system of Claim 21 wherein the speaker performs the comparison by
2 (1) discarding the path with the lower degree of preference, (2) discarding a learned path

3 if the other path is locally originated, (3) discarding the path with longer AS_path, and
4 (4) discarding the path with higher origin.

1 23. (Original) The system of Claim 22 wherein any paths that have not been discarded
2 by running the algorithm at each speaker form a set of partial best paths that are sent to
3 the bRIB.

1 24. (Original) The system of Claim 23 wherein the bRIB performs the second stage of
2 route selection using the full best path selection algorithm to select the best path per pre-
3 fix from among the partial best paths received from all speakers.

1 25. (Original) Apparatus adapted to distribute route selection in an implementation of a
2 routing protocol executing on a router of a computer network, the apparatus comprising:
3 means for receiving announced paths from peers of the router at a first process of
4 the routing protocol;
5 means for performing a first stage of route selection at the first process to select
6 partial best paths;
7 means for forwarding the partial best paths to a second process of the routing pro-
8 tocol;
9 means for performing a second stage of route selection at the second process to
10 select best paths; and
11 means for sending the selected best paths to the first process for announcement to
12 the peers.

1 26. (Original) A computer readable medium containing executable program instructions
2 for distributing route selection in an implementation of a routing protocol executing on a
3 router of a computer network, the executable program instructions comprising program
4 instructions for:

5 receiving announced paths from peers of the router at a plurality of first processes
6 of the routing protocol;
7 performing a first stage of route selection at the first processes to select partial
8 best paths;
9 forwarding the partial best paths to a second process of the routing protocol;
10 performing a second stage of route selection at the second process to select best
11 paths; and
12 sending the selected best paths to the first processes for announcement to the
13 peers.